

กฎ ระเบียบและข้อกำหนดในการนำเข้า  
**(Regulations and Import Requirements)**

---

ประเทศสหรัฐอเมริกา  
**(United State of America)**

## ประเทศสหรัฐอเมริกา (United State of America)

### 1. ผัก และผลไม้ที่อนุญาตให้นำเข้าประเทศสหรัฐอเมริกา (ตารางอเมริกาที่ 1 และ 2)

#### 1.1 ผลไม้ที่อนุญาตให้นำเข้า 7 ชนิด ตามข้อตกลง Frame Work of Equivalency Work Plan : FEWP

- ลิ้นจี่ ลำไย มะม่วง มังคุด สับปะรด และเงาะ ต้องผ่านการทำ treatment ด้วยการฉายรังสี ตามข้อกำหนด T105-a-2 ซึ่งสำนักวิจัยพัฒนาการอารักขาพืช (สอพ.) รับผิดชอบในการดำเนินการออกไปรับรองสุขอนามัยพืช

- แก้วมังกร สามารถนำเข้าอเมริกาได้แล้ว แต่นำเข้าได้เฉพาะเพื่อการค้าเท่านั้น นอกจากนี้ แก้วมังกรต้องทำ treatment เพื่อกำจัดศัตรูพืช 8 ชนิด ด้วยการฉายรังสีที่ความเข้มข้นไม่ต่ำกว่า 400 เกรย์ตามระเบียบการนำเข้าผัก และผลไม้ของอเมริกา (หากมีการฉายรังสีกับแก้วมังกรนอกประเทศสหรัฐอเมริกา แต่ละ shipment จะต้องได้รับการตรวจรับรองล่วงหน้าตามโปรแกรม (Precognance Program) โดยเจ้าหน้าที่ APHIS/ USDA ร่วมกับเจ้าหน้าที่ของไทยเพื่อตรวจรับรองและออกไปรับรองสุขอนามัยพืช) ซึ่งสำนักวิจัยพัฒนาการอารักขาพืช (สอพ.) รับผิดชอบในการดำเนินการออกไปรับรองสุขอนามัยพืช

#### 1.2 การระบุข้อความรับรองพิเศษ

##### 1.2.1 ลิ้นจี่

- The fruit has been treated with irradiation in Thailand.
- The litchis were inspected during preclearance activities and found free of *Peronophythora litchi*
- Not for importation into or distribution within FL. (เนื่องจากลิ้นจี่เป็นสิ่งต้องห้ามของ Florida ดังนั้น

ภาชนะบรรจุสินค้าต้องประทับข้อความดังกล่าวด้วย)

##### 1.2.2 ลำไย

- The fruit has been treated with irradiation in Thailand
- Not for importation into or distribution within FL. (เนื่องจากลำไยเป็นสิ่งต้องห้ามของ Florida ดังนั้น

ภาชนะบรรจุสินค้าต้องประทับข้อความดังกล่าวด้วย)

##### 1.2.3 มะม่วง มังคุด สับปะรด และเงาะ

- The fruit has been treated with irradiation in Thailand

### 2. พืชซึ่งเป็นสิ่งต้องห้าม (Prohibited Plants) ของอเมริกา หรือเมืองใดเมืองหนึ่งในอเมริกา (ตารางอเมริกาที่ 3)

#### 2.1 เมล็ดกัญชา (*Cannabis sativa*; hemp/ marijuana)

เมล็ดกัญชาซึ่งนำไปปลูกต่อได้ จัดเป็นสิ่งต้องห้ามทางการแพทย์ เนื่องจากในเมล็ดกัญชามีสารออกฤทธิ์ต่อสมอง และระบบประสาทส่วนกลาง

#### 2.2 Peanut และ groundnuts

ถั่วลิสง (Peanut) และถั่วต่างๆ ในสกุล *Arachis* ทั้งที่เป็นถั่วดิบ (raw) และที่ยังไม่ผ่านความร้อน (unroasted) จัดเป็นสิ่งต้องห้าม เนื่องจากเป็นพืชอาศัยของเชื้อไวรัสก่อโรค

2.3 **ต้นกระบองเพชร (peyote; *Lophophora williamsii*)**

จัดเป็นสิ่งต้องห้ามตามกฎหมายการครอบครองสารเสพติด เนื่องจากที่ปลูกชาวบนต้นกระบองเพชร มีสารออกฤทธิ์ที่ทำให้เกิดอาการประสาทหลอน แม้การส่งออกจะมีใบรับรองสุขอนามัยพืชกำกับไปด้วย แต่ผู้นำเข้าอาจถูกปรับและจำคุกตามกฎหมายอเมริกาได้ ตรวจสอบข้อมูลเพิ่มเติมได้ที่ <http://www.justice.gov/dea/pubs/scheduling.html>

2.4 **ลินจี และลำไยเป็นสิ่งต้องห้ามของ Florida**

2.5 **สับปะรดจัดเป็นสิ่งต้องห้ามของ Hawaii**

2.6 **พืช/ ผลผลิตพืช นอกเหนือจากรายชื่อในตารางอเมริกาที่ 1 และ 2**

หากต้องการส่งออก ผู้ส่งออกต้องนำ import permit ซึ่งออกให้โดยรัฐบาลอเมริกา แนบประกอบเพื่อขอใบรับรองสุขอนามัยพืช

ตารางอเมริกาที่ 1 พืชที่สามารถนำเข้าได้จากประเทศไทย

นำเข้าได้ทุกด่านที่มีเจ้าหน้าที่กักกันพืช	นำเข้าได้เฉพาะเกาะกวม และเมืองในอาณัติของสหรัฐอเมริกา
<ol style="list-style-type: none"> <li>1. <i>Allium</i> spp. (หัว (bulb)) เช่น <i>Allium sativum</i> (กระเทียม (หัว)) <i>Allium cepa</i> (หอมหัวใหญ่), <i>Allium ascalonicum</i> (หอมแดง)</li> <li>2. amaranth (ส่วนที่อยู่เหนือดิน)</li> <li>3. asparagus (หน่อไม้ฝรั่ง : ยอด (shoot)) T101-b-1</li> <li>4. basil (ใบ และลำต้น) เช่น <i>Ocimum basilicum</i> (โหระพา) <i>Ocimum tenuiflorum</i> (กะเพรา) <i>Ocimum americanum</i> (แมงลัก) <i>Ocimum gratissimum</i> (ยี่หระ) เป็นต้น</li> <li>5. dasheen (ส่วนใต้ดิน (corm) ใบ และลำต้น)</li> <li>6. ทูเรียน (durian)</li> <li>7. eryngo (ผักชีฝรั่ง เฉพาะใบ)</li> <li>8. galanga (ข่า เฉพาะเหง้า)</li> <li>9. lychee (ลิ้นจี่ เฉพาะผลเดี่ยวหรือกลุ่มผล และเพื่อการค้าเท่านั้น) T105-a-2</li> <li>10. longan (ลำไย เฉพาะผลเดี่ยวหรือกลุ่มผล และเพื่อการค้าเท่านั้น) T105-a-2</li> <li>11. lotus root (ผักบัว (seed pod))</li> <li>12. mango (ผลมะม่วง เพื่อการค้าเท่านั้น) T105-a-2</li> <li>13. mangosteen (ผลมังคุด เพื่อการค้าเท่านั้น) T105-a-2</li> <li>14. pineapple (ผลสับปะรด เพื่อการค้าเท่านั้น) T105-a-2</li> <li>15. rambutan (ผลเงาะ เพื่อการค้าเท่านั้น) T105-a-2</li> <li>16. turmeric (ขมิ้น เฉพาะใบและลำต้น)</li> <li>17. yam (มัน เฉพาะหัว (tuber)) T101-f-3</li> <li>18. แก้วมังกร (dragon fruit) (เพื่อการค้าเท่านั้น)</li> </ol>	<ol style="list-style-type: none"> <li>1. asparagus (หน่อไม้ฝรั่ง)</li> <li>2. carrot (แครอท)</li> <li>3. celery (คื่นฉ่าย)</li> <li>4. lettuce (ผักกาดหอม)</li> <li>5. pineapple (สับปะรด) นำเข้าได้เฉพาะพันธุ์ Smooth Cayenne เท่านั้น <b>หมายเหตุ</b> สับปะรดจัดเป็นสิ่งต้องห้ามของ Hawaii</li> <li>6. radish (หัวผักกาดแดง)</li> </ol>

**หมายเหตุ** T101-b-1 รมด้วย Methyl Bromide 24 g/ m<sup>3</sup>/ 2 hrs. @ ≥ 27°C หรือ 32 g/ m<sup>3</sup>/ 2 hrs. @ 21-26°C  
T101-f-3 รมด้วย Methyl Bromide 40 g/ m<sup>3</sup>/ 4 hrs. @ ≥ 32°C หรือ 48 g/ m<sup>3</sup>/ 4 hrs. @ 27-31.6°C  
T105-a-2 การฉายรังสี

ตารางอเมริกาที่ 2 พืชที่สามารถนำเข้าได้จากทั่วโลก และไม่จำเป็นต้องมีหนังสืออนุญาตนำเข้า

นำเข้าได้ทุกด่านที่มีเจ้าหน้าที่กักกันพืช	นำเข้าได้ทุกด่านที่มีเจ้าหน้าที่กักกันพืช
<p>1. <i>Aloe vera</i> (ว่านหางจระเข้ เฉพาะส่วนที่อยู่เหนือดิน)</p> <p>2. bat nut หรือ devil pod (<i>Trapa bicornis</i>) (กระจับ)</p> <p>3. cannonball fruit</p> <p>4. chinese water chestnut (แห้ว)</p> <p>5. coconut (มะพร้าวอ่อน และต้องไม่มีเปลือกสีเขียว)</p> <p>6. corn smut galls</p> <p>7. cyperus corm (เหง้ากก)</p> <p>8. edible flower 4 ชนิดคือ <i>Calendula</i> spp. (pot marigold : ดาวเรืองหม้อ), <i>Tagetes</i> spp. (marigold : ดาวเรือง), <i>Tropaeolum</i> spp. (nasturtium), และ <i>Viola</i> spp. (johnny-jump-ups, pansies, and violets) และต้องเป็นดอกตูมเท่านั้น <u>หากมีส่วนของลำต้นหรือใบติดไปด้วย จะจัดเป็นสิ่งต้องห้าม</u></p>	<p>9. garlic cloves, peels (กระเทียมแกะกลีบ และเปลือกเปลือกแล้ว)</p> <p>10. ginger root (เหง้าขิง)</p> <p>11. lily bulb (<i>Lilium</i> spp.) (หัวลิลลี่)</p> <p>12. maguey leaf (ใบป่านมะนิลา)</p> <p>13. matsutake (เห็ด)</p> <p>14. mushroom (เห็ด)</p> <p>15. palm hearts, peels (ยอดมะพร้าวเปลือกเปลือกแล้ว)</p> <p>16. pomegranate arils (ทับทิม)</p> <p>17. St. John's Bread</p> <p>18. singhara nut (<i>Trapa bispinosa</i>) (กระจับ)</p> <p>20. tamarind (มะขาม)</p> <p>21. truffle (เห็ด)</p> <p>22. water chestnut (<i>Trapa natans</i>) (กระจับ)</p>

ตารางอเมริกาที่ 3 ตัวอย่างของพืชที่จัดเป็นสิ่งต้องห้ามของอเมริกา (7 CFR 319.37-2 Prohibited articles.)

Prohibited Articles	Foreign places from Which prohibited	Plant pests existing in the places named and capable of being transported with the prohibited article
<i>Abelmoschus</i> spp. (okra)	Africa	Cotton leaf curl agent
	Brazil	Cotton Anthocyanosis agent
	Bangladesh, India, Sri Lanka	Bhendi yellow vein mosaic agent
	Cote d'Ivoire, Nigeria	Okra mosaic virus
	Iraq	Okra yellow leaf curl agent
	Papua New Guinea, Trinidad and Tobago	Okra mosaic agents
<i>Abies</i> spp. (fir)	All except Canada	50 or more species of rusts including <i>Chrysomyxa abietis</i> (Wallr.) Ung. (a rust causing a serious needle disease); <i>Phacidiopycnis pseudotsuga</i> (M. Wils.) Hahn (Douglas fir canker)
<i>Acacia</i> spp. (acacia)	Australia and Oceania	<i>Uromycladium tepperianum</i> (Sacc.) McAlp. (Rust)
<i>Acer</i> spp. (maple) (except <i>Acer palmatum</i> and <i>Acer japonicum</i> meeting the conditions for importation in §319.37-5 (m))	Japan Europe, Japan	<i>Xanthomonas acernea</i> (Ogawa) Burk Maple mosaic or variegation diseases
<i>Actinidia</i> spp. (Chinese gooseberry, kiwi)	Japan and Taiwan	<i>Pucciniastrum actinidiae</i> Hiratusuka (Rust)
<i>Adonidia</i> spp	All	A diversity of diseases including, but not limited to: Lethal yellowing disease; Cadangcadang disease
<i>Aeglopsis</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x)	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening)

<i>Aesculus</i> spp. (horsechestnut)	Czech Republic, Germany, Romania, Slovakia, United Kingdom	Horsechestnut variegation or yellow mosaic diseases.
<i>Aiphanes</i> spp. (coyure, ruffle, and spine palm)	All	A diversity of diseases including but not limited to: lethal yellowing disease; cadang-cadang disease.
<i>Allagoptera arenaria</i>	All	A diversity of diseases including, but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Althaea</i> spp. (althaea, hollyhock)	Africa Bangladesh, India, Sri Lanka	Cotton leaf curl agent. Bhendi yellow vein mosaic agent.
<i>Arachis</i> spp. (peanut) seed only (all other <i>Arachis</i> articles are included under Fabaceae)	India, Indonesia, Japan, People's Republic of China, Philippines, Taiwan, Thailand	Peanut stripe virus.
	Burkina Faso, Cote d'Ivoire, Senegal India	Peanut clump virus. Indian peanut clump virus.
<i>Areca</i> spp	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Arenga</i> spp. (sugarpalm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Arikuryroba</i> spp. (arikury palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
Articles listed in §319.37–2(b)	All except Canada	A diversity of diseases, insects, and other pests, including but not limited to: <i>Cactoblastis cactorum</i> (Berg); <i>Metamasius</i> spp.; <i>Opogona sacchari</i> (Bojer); <i>Chrysomyxa himalensis</i> Barclay (Spruce needle rust); <i>Aecidium mori</i> Barclay (Mulberry rust); <i>Pseudomonas lignicola</i> Westherd. & Buis. (Bacterial stain);

		<i>Pucciniastrum areolatum</i> (Fr.) Oth. (Cherry-spruce rust).
<i>Atalantia</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Balsamocitrus</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
Bambuseae (seeds, plants, and cuttings)	All	Various plant diseases, including bamboo smut ( <i>Ustilago shiraiana</i> )
<i>Berberis</i> spp. (barberry) (plants of all species and horticultural varieties not designated as resistant to black stem rust in accordance with §301.38-1 of this chapter)	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Berberis</i> spp. (barberry) destined to an eradication State listed in §301.38-2a of this chapter (plants of all species and horticultural varieties designated as resistant to black stem rust in accordance with §301.38-1 of this chapter)	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Berberis</i> spp. (barberry) seed	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Berberis</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Blighia sapida</i> (akee)	Cote d'Ivoire, Nigeria	Okra mosaic virus.
<i>Borassus</i> spp. (palmyra palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.



<i>Brugmansia</i> spp.	Colombia	Datura Columbia virus.
<i>Calodendrum</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Caryota</i> spp. (fishtail palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Castanea</i> spp. (chestnut)	All	<i>Cryphonectria parasitica</i> (Murrill) Barr (chestnut blight); <i>Dryocosmus kuriphilus</i> Yasumatsu (gall wasp).
<i>Cedrus</i> spp. (cedar)	Europe	<i>Phacidiopycnis pseudotsuga</i> (M. Wils.) Hahn (Douglas fir canker). <i>Fusarium fuliginosporum</i> Sibia (Seedling disease).
<i>Chaenomeles</i> spp. (flowering quince) not meeting the conditions for importation in §319.37-5(b)	All	A diversity of diseases including but not limited to those listed for <i>Chaenomeles</i> in §319.37-5(b)(1).
<i>Chrysalidocarpus</i> spp. (butterfly palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Chrysanthemum</i> , spp. (chrysanthemum, includes <i>Dendranthema</i> spp.)	Andorra, Argentina, Australia, Belarus, Bosnia and Herzegovina, Brazil, Brunei, Canary Islands, Chile, China, Colombia, Croatia, Ecuador, Iceland, Japan, Korea, Liechtenstein, Macedonia, Malaysia, Mexico, Moldova, Monaco, New Zealand, Norway, Peru, Republic of South Africa, Russia, San Marino, Switzerland, Taiwan, Thailand, Tunisia, Ukraine, Uruguay, Venezuela, Yugoslavia; the European Union (Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark,	<i>Puccinia horiana</i> P. Henn. (white rust of chrysanthemum).

	Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, and United Kingdom); and all countries, territories, and possessions of countries located in part or entirely between 90° and 180° East longitude	
<i>Citrofortunella</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Citroncirus</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Citrus</i> spp. seed not meeting the conditions for importation in §319.37-5(w).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening); citrus variegated chlorosis.
<i>Clausena</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Cocos</i> spp. (other than <i>Cocos nucifera</i> )	All.	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Cocos nucifera</i> (coconut) (including seed) (Coconut seed without husk or without milk may be imported into the United States in accordance with §319.56–11)	All except from Jamaica or Costa Rica if meeting the conditions for importation in §319.37–5(g)	A diversity of diseases including but not limited to: lethal yellowing disease; cadang-cadang disease.
<i>Corypha</i> spp.	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-

		cadang disease.
<i>Crocoshmia</i> spp. (montebretia)	Africa	<i>Puccinia mccleanii</i> Doidge (rust), <i>Uredo gladioli-buettneri</i> Bub. (rust), <i>Uromyces gladioli</i> P. Henn. (rust), <i>U. nyikensis</i> Syd. (rust).
	Argentina, Uruguay	<i>U. gladioli</i> P. Henn. (rust).
<i>Crocoshmia</i> spp. (montebretia), except bulbs in commercial shipments	Africa, Brazil, France, Italy, Malta, Mauritius, Portugal	<i>U. transversalis</i> (Thuem.) Wint. (rust).
<i>Cydonia</i> spp. (quince) not meeting the conditions for importation in §319.37–5(b)	All	A diversity of diseases including but not limited to those listed for <i>Cydonia</i> in §319.37–5(b)(1).
<i>Datura</i> spp.	India	<i>Datura</i> distortion or enation mosaic virus.
<i>Datura</i> spp. (woody species)	( See <i>Brugmansia</i> spp.)	
<i>Dendranthema</i> spp. (chrysanthemum)	See <i>Chrysanthemum</i> spp.	See <i>Chrysanthemum</i> spp.
<i>Dictyosperma</i> spp. (Princesspalm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang- cadang disease.
<i>Elaeis</i> spp. (oil palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang- cadang disease.
<i>Erianthus</i> spp. (plumegrass)	All	<i>Puccinia melanocephala</i> H. Syd. & P. Syd. (Sugarcane rust).
<i>Eucalyptus</i> spp. (eucalyptus)	Europe, Sri Lanka, and Uruguay	<i>Pestalotia disseminata</i> Thuem. (parasitic leaf fungus).
<i>Euonymus</i> spp. (euonymus)	Europe, Japan	<i>Euonymus</i> mosaic diseases.
Fabaceae (=Leguminosae) (herbaceous spp. only)	All except Canada	A diversity of diseases including but not limited to: African soybean dwarf agent, alfalfa enation virus, azuki bean mosaic virus, bean golden mosaic virus, cowpea mild mottle virus, French bean mosaic virus, groundnut chlorotic leaf streak virus,

		groundnut chlorotic spotting virus, groundnut rosette agents, groundnut witches broom MLO, horsegram yellow mosaic virus, Indonesian soybean dwarf virus, lima bean mosaic virus, lucerne Australian symptomless virus, lucerne vein yellowing virus, mung bean yellow mosaic virus, peanut stripe virus, red clover mottle virus, and soybean dwarf virus.
<i>Fortunella</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Fragaria</i> spp. (strawberry) not meeting the conditions for importation in §319.37-5(h)	All except Canada	<i>Phytophthora fragariae</i> Hickman (Red stele disease).
<i>Fraxinus</i> spp. (ash)	All except for any county or municipal regional county in Canada not regulated because of the emerald ash borer	<i>Agrilus planipennis</i> (emerald ash borer).
	Europe	<i>Pseudomonas savastanoi</i> var. <i>fraxini</i> (Brown) Dowson (Canker and dwarfing disease of ash).
<i>Gaussia</i> spp. (llumepalm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Gladiolus</i> spp. (gladiolus)	Africa	<i>Puccinia mccleanii</i> Doidge (rust), <i>Uredo gladioli-buettneri</i> Bub. (rust), <i>Uromyces gladioli</i> P. Henn. (rust), <i>U. nyikensis</i> Syd. (rust).
	Argentina, Uruguay	<i>U. gladioli</i> P. Henn. (rust).
<i>Gladiolus</i> spp. (gladiolus), except bulbs in commercial shipments	Africa, Brazil, France, Italy, Malta, Mauritius, Portugal	<i>U. transversalis</i> (Thuem.) Wint. (rust).
<i>Gossypium</i> spp. (cotton,	All	A diversity of diseases including

cottontree)		but not limited to: cotton leaf curl virus; cotton virescence agent; small leaf virus.
<i>Hibiscus</i> spp. (kenaf, hibiscus, rose mallow)	Africa	Cotton leaf curl agent.
	Brazil	Cotton anthocyanosis agent.
	India	Hibiscus leaf curl agent.
<i>Howea</i> spp. (sentry palm) not meeting the conditions in §319.37–5(n)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Hydrangea</i> spp. (hydrangea)	Japan	<i>Aecidium hydrangeae-paniculatea</i> Dietel.
<i>Hyophorbe</i> spp. (palm)	All	A diversity of diseases including but not limited to: lethal yellowing disease; cadang-cadang disease.
<i>Ipomoea</i> spp. (sweetpotato)	All except Canada	A diversity of diseases including but not limited to: sweetpotato witches broom (little leaf); and sweetpotato viruses of eastern Africa.
<i>Jasminum</i> spp. (jasmine)	Belgium, Germany, Great Britain	Jasmine variegation diseases.
	India	Chlorotic ringspot, phyllody, yellow ring mosaic diseases.
	Philippines	Sampaguita yellow ringspot mosaic diseases.
<i>Juniperus</i> spp. (juniper)	Austria, Finland, and Romania	<i>Stigmina deflectans</i> (Karst) Ellis (Needlecast disease).
	Europe	<i>Phacidiopycnis pseudotsuga</i> (M. Wils.) Hahn (Douglas fir canker).
<i>Larix</i> spp. (larch)	Provinces of New Brunswick and Nova Scotia in Canada, Europe, and Japan	<i>Lachnellula willkommii</i> (Harteg) Dennis (European larch canker).
	Europe	<i>Phacidiopycnis pseudotsuga</i> (M. Wils.) Hahn (Douglas fir canker).
<i>Latania</i> spp	All	A diversity of diseases including

		but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Leersia</i> spp. (cutgrass) seed only (all other <i>Leersia</i> articles are included under <i>Poaceae</i> )	All	<i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye.
<i>Lens</i> spp. seed (lentil)	South America	<i>Uromyces viciae-fabae</i> (Pers.) Schroet. (Rust).
<i>Leptochloa</i> spp. (sprangletop) seed only (all other <i>Leptochloa</i> articles are included under <i>Poaceae</i> )	All	<i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye.
<i>Leucanthemella serotina</i>	Andorra, Argentina, Australia, Belarus, Bosnia and Herzegovina, Brazil, Brunei, Canary Islands, Chile, China, Colombia, Croatia, Ecuador, Iceland, Japan, Korea, Liechtenstein, Macedonia, Malaysia, Mexico, Moldova, Monaco, New Zealand, Norway, Peru, Republic of South Africa, Russia, San Marino, Switzerland, Taiwan, Thailand, Tunisia, Ukraine, Uruguay, Venezuela, Yugoslavia; the European Union (Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, and United Kingdom); and all countries, territories, and possessions of countries located in part or entirely between 90° and 180° East longitude	<i>Puccinia horiana</i> P. Henn. (white rust of chrysanthemum).
<i>Ligustrum</i> spp. (privet)	Europe	<i>Ligustrum</i> mosaic diseases.

<i>Limonia</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Livistona</i> spp. (fan palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Mahoberberis</i> spp. (plants of all species and horticultural varieties not designated as resistant to black stem rust in accordance with §301.38-1 of this chapter)	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Mahoberberis</i> spp. destined to an eradication State listed in §301.38-2(a) of this chapter (plants of all species and horticultural varieties designated as resistant to black stem rust in accordance with §301.38-1 of this chapter)	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Mahoberberis</i> spp. seed	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Mahonia</i> spp. (mahonia) (plants of all species and horticultural varieties not designated as resistant to black stem rust in accordance with §301.38-1 of this chapter)	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Mahonia</i> spp. (mahonia) destined to an eradication State listed in §301.38-2(a) of this chapter (plants of all species and horticultural varieties designated as resistant to black stem rust in accordance with §301.38-1 of this chapter)	All	<i>Puccinia graminis</i> Pers. (Black stem rust).
<i>Mahonia</i> spp. seed	All	<i>Puccinia graminis</i> Pers. (Black stem rust).

		stem rust).
<i>Malus</i> spp. (apple, crabapple) not meeting the conditions for importation in §319.37-5(b)	All	A diversity of diseases including but not limited to those listed for <i>Malus</i> in §319.37-5(b)(1).
<i>Mangifera</i> spp. (mango) seed only. (Prohibition not applicable to seeds imported into Guam, Hawaii, and the Northern Mariana Islands)	All except Guimaras Island (Republic of the Philippines) and North and South America (excluding Barbados, the British Virgin Islands, Dominica, French Guiana, Grenada, Guadeloupe, Martinique, St. Lucia, St. Vincent and the Grenadines, and Trinidad and Tobago)	<i>Sternochetus mangiferae</i> F. (mango seed weevil).
<i>Manihot</i> spp. (cassava)	All except Canada	A diversity of diseases, insects, and other pests including but not limited to: <i>Mononychellus tanajoa</i> (Bondar) (cassava mite); <i>Phenacoccus manihotis</i> Matile-Ferrero (cassava mealybug); <i>Xanthomonas manihotis</i> (Arthand-Berthet) Starr (Bacterial blight); Cassava brown streak virus; Cassava latent virus; Cassava African mosaic virus; Cassava common mosaic virus.
<i>Mascarena</i> spp	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Microcitrus</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Morus</i> spp. (mulberry)	India, Japan, Korea, People's Republic of China, Thailand, and the geographic area formerly known as the Union of Soviet Socialist Republics	Mulberry dwarf or mulberry mosaic diseases.
<i>Murraya</i> spp. seed not meeting the conditions for	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus,



importation in §319.37-5(w) or (x).		Citrus greening).
<i>Nannorrhops</i> spp. (mazaripalm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Neodypsis</i> spp. (palm)	All	A diversity of diseases including but not limited to: lethal yellowing disease; cadang-cadang disease.
<i>Nipponanthemum nipponicum</i>	Andorra, Argentina, Australia, Belarus, Bosnia and Herzegovina, Brazil, Brunei, Canary Islands, Chile, China, Colombia, Croatia, Ecuador, Iceland, Japan, Korea, Liechtenstein, Macedonia, Malaysia, Mexico, Moldova, Monaco, New Zealand, Norway, Peru, Republic of South Africa, Russia, San Marino, Switzerland, Taiwan, Thailand, Tunisia, Ukraine, Uruguay, Venezuela, Yugoslavia; the European Union (Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, and United Kingdom); and all countries, territories, and possessions of countries located in part or entirely between 90° and 180° East longitude	<i>Puccinia horiana</i> P. Henn. (white rust of chrysanthemum).
<i>Pelargonium</i> spp. not meeting the conditions for importation in §319.37-5(r)	All	Potato brown rot ( <i>Ralstonia solanacearum</i> race 3 biovar 2).
<i>Pelargonium</i> spp. plants not	Canary Islands (Spain)	<i>Helicoverpa armigera</i> ,

meeting the conditions for importation in §319.37–5(u)		<i>Chrysodeixis chalcites</i> , and <i>Syngrapha circumflexa</i> (syn. <i>Cornutiplusia circumflexa</i> ).
<i>Persea</i> spp. (avocado) seed	Central and South America, and Mexico	<i>Heilipus lauri</i> Boh. (Avocado weevil); <i>Stenoma catenifer</i> Wals. (Avocado seed moth); <i>Conotrachelus</i> spp.
<i>Philadelphus</i> spp. (mock orange)	Europe	Elm mottle virus.
<i>Phoenix</i> spp. (date)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Picea</i> spp. (spruce)	Europe, Japan, and Siberia	<i>Chrysomyxa ledi</i> (Alb. & Schw.) d By var. <i>rhododendri</i> (DC) Savile. (Rhododendron-spruce needle rust).
	Europe.	<i>Phacidiopycnis pseudotsuga</i> (M. Wils.) Hahn (Douglas fir canker).
<i>Pinus</i> spp. (pine) (2- or 3-leaved)	Europe and Japan	<i>Cronartium flaccidum</i> (Alb. & Schw.) Wint. (Rust causing serious stunting of hard pines.)
	Japan.	Gall-forming rust.
Plants (except bulbs, dormant herbaceous perennials, and seeds) not meeting the conditions for importation in §319.37–5(v)	Israel	<i>Spodoptera littoralis</i> and other quarantine pests.
<i>Poaceae</i> (vegetative parts of all grains and grasses, except species of Bambuseae)	All except Canada	A wide diversity of plant diseases, including but not limited to: banana streak virus, barley yellow mosaic virus, barley yellow striate mosaic virus, brome streak mosaic virus, cereal chlorotic mosaic virus, cocksfoot mild mosaic virus, corn stunt spiroplasma, Cynodon chlorotic streak virus, cynosurus mottle virus, Echinochloa ragged stunt virus, European aster yellows MLO, European wheat striate

		mosaic virus, Iranian maize mosaic virus, maize bushy stunt MLO, maize chlorotic mottle virus, maize mosaic virus, maize mottle/chlorotic stunt virus, maize rough dwarf virus, maize streak virus, maize stripe virus, northern cereal mosaic virus, oat red streak mosaic virus, oat sterile dwarf virus, rice dwarf virus, rice gall dwarf virus, rice tungro virus, rice wilted stunt virus, rice yellow mottle virus, rice yellow dwarf agent, yellow dwarf agent, sugarcane white leaf MLO, wheat yellow leaf virus, and wheat yellowing stripe bacterium.
<i>Poncirus</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Populus</i> spp. (aspen, cottonwood, poplar)	Europe	<i>Xanthomonas populi</i> Ride (Canker).
<i>Pritchardia</i> spp	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Prunus</i> spp. (almond, apricot, cherry, cherry laurel, English laurel, nectarine, peach, plum, prune) not meeting the conditions for importation in §319.37-5(b)	All	A diversity of diseases including but not limited to those listed for <i>Prunus</i> in §319.37-5(b)(1).
<i>Prunus</i> spp. seed only (almond, apricot, nectarine, peach, plum, and prune, but not species in subgenus <i>Cerasus</i> ) not meeting the conditions for importation in §319.37-5(j)	All	Plum pox (Sharka) virus.
<i>Pseudolarix</i> spp. (golden larch)	Provinces of New Brunswick and Nova Scotia in Canada, Europe, and Japan	<i>Lachnellula willkommii</i> (Harteg) Dennis (European larch canker).

<i>Pseudotsuga</i> spp. (Douglas fir)	Europe	<i>Phacidiopycnis pseudotsuga</i> (M. Wils.) Hahn (Douglas fir canker).
<i>Pyrus</i> spp. (pear) not meeting the conditions for importation in §319.37-5(b)	All	A diversity of diseases including but not limited to those listed for <i>Pyrus</i> in §319.37-5(b)(1).
<i>Quercus</i> spp. (oak)	Japan	<i>Stereum hiugense</i> Imazeki (White rot); a gall-forming rust.
<i>Ravenea</i> spp. (palm)	All	A diversity of diseases including but not limited to: lethal yellowing disease; cadang-cadang disease.
<i>Ribes</i> spp. (currant, gooseberry)	Europe and New Zealand	Black currant reversion agent.
<i>Rosa</i> spp. (rose)	Australia, Bulgaria, Italy, and New Zealand	Rose wilt virus.
<i>Rubus</i> spp. not meeting the conditions for importation in §319.37-5(f)	Europe	<i>Rubus</i> stunt agent
<i>Salix</i> spp. (willow)	Belgium, Germany, Great Britain, Japan, and the Netherlands	<i>Erwinia salicis</i> (Day) Chester (Watermark disease).
Seeds of all kinds when in pulp	All except Canada	Fruit flies, or other injurious insects.
<i>Severinia</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Solanum</i> spp. (potato) (tuber bearing species only—Section Tuberarium), including potato tubers	All except Canada (except Newfoundland and that portion of the Municipality of Central Saanich in the Province of British Columbia east of the West Saanich Road).	Andean potato latent virus; Andean potato mottle virus; potato mop top virus; dulcamara mottle virus; tomato blackring virus; tobacco rattle virus; potato virus Y (tobacco veinal necrosis strain); potato purple top wilt agent; potato marginal flavescence agent; potato purple top roll agent; potato witches broom agent; stolbur agent; parastolbur agent; potato leaflet stunt agent; potato spindle tuber

		viroid; arracacha virus B; potato yellowing virus.
<i>Solanum</i> spp. true seed (tuber bearing species only—Section Tuberarium)	All except Canada, New Zealand, and the X region of Chile (that area of Chile between 39° and 44° South latitude—see §319.37–5(o))	Andean potato latent virus, potato virus T, tobacco ringspot virus (Andean potato calico strain); arracacha virus B; potato yellowing virus.
<i>Solanum</i> spp. not meeting the conditions for importation in §319.37–5(r)	All	Potato brown rot ( <i>Ralstonia solanacearum</i> race 3 biovar 2).
<i>Sorbus</i> spp. (mountain ash)	Czech Republic, Denmark, Germany, Slovakia	Mountain ash variegation or ringspot mosaic disease.
<i>Swinglea</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus</i> Liberibacter spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Syringa</i> spp. (lilac) not meeting the conditions for importation in §319.37–5(i)	Europe	Elm mottle virus.
<i>Theobroma</i> spp. (cacao)	All	A diversity of diseases and pests including but not limited to: cocoa swollen shoot virus, cocoa mottle leaf virus, cocoa yellow mosaic virus, cocoa necrosis virus, <i>Crinipellis perniciosus</i> (Stahel) Singer (witches broom fungus), <i>Monilia roleri</i> — <i>Moniliophthora rorei</i> (CiF.) H.C. Evans <i>et al.</i> (watery pod rot), cocoa isolates of <i>Ceratocystis fimbriata</i> Ellis and Halst (wilts), <i>Trachysphaera fructigena</i> Tabor and Bunting (mealy pod agents of cushy gall disease), <i>Oncobasidium theobromae</i> Talbot and Keane (vascular streak die-back), <i>Xyleborus</i> spp. beetles and <i>Acrocercops cramella</i> (Snellen) (cocoa moth).
<i>Toddalia</i> spp. seed not meeting the conditions for importation in §319.37-5(w)	All	<i>Candidatus</i> Liberibacter spp. (Huanglongbing disease of citrus, Citrus greening).

or (x).		
<i>Trachycarpus</i> spp. (windmill palm)	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Triphasia</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Ulmus</i> spp. (elm) (including seeds)	Europe	Elm mottle virus.
<i>Vaccinium</i> spp. plants not meeting the conditions for importation in §319.37-5(t)	Canada	Blueberry scorch carlavirus (strains BC-1 and BC-2).
<i>Veitchia</i> spp	All	A diversity of diseases including but not limited to: Lethal yellowing disease; Cadang-cadang disease.
<i>Vepris</i> spp. seed not meeting the conditions for importation in §319.37-5(w) or (x).	All	<i>Candidatus Liberibacter</i> spp. (Huanglongbing disease of citrus, Citrus greening).
<i>Vitis</i> spp. (grape) not meeting the conditions for importation in §319.37-5(b)	All	A diversity of diseases including but not limited to those specified for <i>Vitis</i> in §319.37-5(b)(1).
<i>Watsonia</i> spp. (bugle lily)	Africa	<i>Puccinia mccleanii</i> Doidge (rust), <i>Uredo gladioli-buettneri</i> Bub. (rust), <i>Uromyces gladioli</i> P. Henn. (rust), <i>U. nyikensis</i> Syd. (rust).
	Argentina, Uruguay	<i>U. gladioli</i> P. Henn. (rust).
<i>Watsonia</i> spp. (bugle lily), except bulbs in commercial shipments	Africa, Brazil, France, Italy, Malta, Mauritius, Portugal	<i>U. transversalis</i> (Thuem.) Wint. (rust).
<i>Zizania</i> spp. (wild rice) seed only (all other <i>Zizania</i> articles are included under Poaceae)	All except Canada	<i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye.

(b) The following listed articles from all foreign places except Canada are prohibited articles and are prohibited from being imported or offered for entry into the United States except as provided in paragraph (c) of this section:

(1) *Rhododendron* spp. (rhododendron and azalea) or other genera or species of similar slow growth habit, other than artificially dwarfed plants meeting the conditions in §319.37–5(q):

(i) Exceeding 3 years of age if grown from seeds or cuttings; or

(ii) Exceeding 2 years of age after severance from the parent plant if produced by layers; or

(iii) Having more than 3 years' growth from the bud or graft if produced by budding or grafting.

(2) Any naturally dwarf or miniature form of tree or shrub exceeding 305 millimeters (approximately 12 inches) in length from the soil line.

(3) Herbaceous perennials (except epiphytes) imported in the form of root crowns or clumps exceeding 102 millimeters (approximately 4 inches) in diameter.

(4) Stem cuttings without leaves, without roots, without sprouts, and without branches (other than cactus cuttings and cuttings of epiphytes) exceeding 102 millimeters (approximately 4 inches) in diameter or exceeding 1.83 meters (approximately 6 feet) in length; and stem cuttings of epiphytes with or without aerial roots (without leaves, without sprouts, and without branches) exceeding 102 millimeters (approximately 4 inches) in diameter or exceeding 1.83 meters (approximately 6 feet) in length.

(5) Cactus cuttings (without roots or branches) exceeding 153 millimeters (approximately 6 inches) in diameter or exceeding 1.22 meters (approximately 4 feet) in length.

(6)(i) Plants (other than stem cuttings, cactus cuttings, artificially dwarfed plants meeting the conditions in §319.37–5(q), and palms and plants whose growth habits simulate palms) exceeding 460 millimeters (approximately 18 inches) in length from soil line (top of rooting zone for plants produced by air layering) to the farthest terminal growing point and whose growth habits simulate the woody habits of trees and shrubs, including but not limited to cacti, cycads, yuccas, and dracaenas.

(ii) Palms and plants whose growth habits simulate palms, that exceed a total length (stem plus leaves) of 915 millimeters (approximately 36 inches) in length.

(7) Any tree or shrub of a type not listed above, other than an artificially dwarf plant meeting the conditions in §319.37–5(q), and:

(i) Exceeding 2 years of age if grown from seeds or cuttings; or

(ii) Exceeding 1 year of age after severance from the parent plant if produced by layers; or

(iii) Having more than 2 years' growth from the bud or graft if produced by budding or grafting.

(c) Any article listed as a prohibited article in paragraph (a) or (b) of this section may be imported or offered for entry into the United States if:

(1) Imported by the United States Department of Agriculture for experimental or scientific purposes;

(2) Imported at the National Plant Germplasm Inspection Station, Building 580, Beltsville Agricultural Research Center East, Beltsville, MD 20705 or through any Federal plant inspection station listed in §319.37–14;

(3) Imported pursuant to a Departmental permit issued for such article and kept on file at the port of entry;

(4) Imported under conditions specified on the Departmental permit and found by the Deputy Administrator to be adequate to prevent the introduction into the United States of plant pests, i.e., conditions of treatment, processing, growing, shipment, disposal; and

(5) Imported with a Departmental tag or label securely attached to the outside of the container containing the article or securely attached to the article itself if not in a container, and with such tag or label bearing a Departmental permit number corresponding to the number of the Departmental permit issued for such article.

**Last modified August 20, 2010**



4. ชนิดของวัสดุปลูกที่อเมริกาอนุญาตให้นำเข้าได้ (List of Approved Growing Media)

- |   |  |
|---|--|
| 4.1 Baked expanded clay pellets (เม็ดดินเผา)                        | 4.11 Polymer stabilized starch             |
| 4.2 Coal cinder (ถ่านหินซินเดอร์)                                   | 4.12 Polystyrene (เม็ดโฟม)                 |
| 4.3 Coir (กากมะพร้าว)   | 4.13 Polyurethane                          |
| 4.4 Cork (ไม้ก๊อก)  | 4.14 Rock wool (ใยหิน)                     |
| 4.5 Glass wool (ใยแก้ว)   | 4.15 Spaghnum moss (สแฟกนัมมอส)            |
| 4.6 Organic and inorganic fibers (เส้นใยอินทรีย์และเส้นใยอนินทรีย์) | 4.16 Stockosorb super absorbent polymer    |
| 4.7 Peat (พีท)  | 4.17 Unreaformaldehyde                     |
| 4.8 Perlite (หินภูเขาไฟชนิดหนึ่ง)                                   | 4.18 Vermiculite (แร่เวอริมิคูไลต์)        |
| 4.9 Phenol formaldehyde (ฟีนอลฟอร์มาลดีไฮด์)                        | 4.19 Volcanic rock (หินภูเขาไฟ)            |
| 4.10 Plastic particles (พลาสติก)                                    | 4.20 Zeolite (สารประกอบอะลูมิเนียมซิลิเกต) |
|   | 4.21 หรือใช้วัสดุดังกล่าวข้างต้นรวมกัน     |

ตารางอเมริกาที่ 4 พืชอาศัยของด้วงหอยดียว, *Anoplophora chinensis* (CLB) และ *Anoplophora glabripennis* (ALB) (Host Material of *Anoplophora chinensis* (CLB) and *Anoplophora glabripennis* (ALB))

หากมีการส่งออกพืชอาศัยที่มีเส้นผ่านศูนย์กลางมากกว่า 10 mm. (0.4 นิ้ว) ต้องระบุข้อความรับรองพิเศษว่า The plants for planting in this shipment, including all plant parts (e.g. rootstock, scion, etc.) were solely grown in Thailand and *Anoplophora chinensis* and *Anoplophora glabripennis* are not known to occur in Thailand ยกเว้น seeds

No.	Scientific Name	Thai Name
1	<i>Acacia</i> spp.	เช่น ชะอม หมากร กระถิน ส้มป่อย เป็นต้น
2	<i>Acer</i> spp.	เช่น เมเปิ้ล ก่วม เป็นต้น
3	<i>Albizia</i> spp.	เช่น ก้ามปู จามจุรี เป็นต้น
4	<i>Aralia</i> spp.	เช่น คันทามเสื่อ กรามแรด เป็นต้น
5	<i>Betula</i> spp.	เช่น กำลังเสื่อโครง กำลังพญาเสื่อโครง เป็นต้น
6	<i>Broussonetia</i> spp.	เช่น ปอสา ปอกระสา ปอฝ้าย ฉำฉา เป็นต้น
7	<i>Cajanus</i> spp.	เช่น ถั่วแระ ถั่วมะแฮะ ถั่วแปบ ถั่วฝัก เป็นต้น
8	<i>Camellia</i> spp.	เช่น ชา เป็นต้น
9	<i>Carpinus</i> spp.	เช่น ก่อสร้อย กำลังเสื่อโครง เป็นต้น
10	<i>Carya</i> spp.	เช่น พีแคนนัท เป็นต้น
11	<i>Castanopsis</i> spp.	เช่น ก่อ ก่อเดือย ก่อสร้อย เป็นต้น
12	<i>Casuarina</i> spp.	เช่น สนทะเล สนปฏิพัทธ์ เป็นต้น
13	<i>Catalpa</i> spp.	
14	<i>Celtis</i> spp.	เช่น ทลายเขา แก้งชีพระร่วง เป็นต้น
15	<i>Cercidiphyllum</i> spp.	
16	<i>Cercis</i> spp.	
17	<i>Chaenomeles</i> spp.	เช่น quince เป็นต้น
18	<i>Cornus</i> spp.	เช่น ญูนตัน เป็นต้น
19	<i>Corylus</i> spp.	เช่น ฮาเซล, American hazel เป็นต้น
20	<i>Cotoneaster</i> spp.	เช่น ไซแดง เป็นต้น
21	<i>Crataegus</i> spp.	เช่น hawthorn, thornapple, hawberry เป็นต้น
22	<i>Cryptomeria</i> spp.	เช่น conifer สนญี่ปุ่น สนพิกุล เป็นต้น
23	<i>Cydonia</i> spp.	เช่น fruiting quince, quince เป็นต้น
24	<i>Elaeagnus</i> spp.	เช่น สลอด เป็นต้น
25	<i>Eriobotrya</i> spp.	เช่น ตะแกรงน้ำ เรงคา ปี่แบ้ โลกวอท เป็นต้น
26	<i>Fagus</i> spp.	
27	<i>Ficus</i> spp.	เช่น ไทร โฟ เป็นต้น

No.	Scientific Name	Thai Name
28	<i>Grevillea = Stylurus</i> spp.	เช่น สนอินเดีย เป็นต้น
29	<i>Hedera</i> spp.	เช่น ไคว้ กระจับเขา เป็นต้น
30	<i>Hibiscus</i> spp.	เช่น ชบา ปอ พู่ระหง พุดตาน เป็นต้น
31	<i>Ilex</i> spp.	เช่น ไทรซี่ใต้ สายฝน เป็นต้น
32	<i>Juglans</i> spp.	เช่น walnut เป็นต้น
33	<i>Koelreuteria</i> spp.	
34	<i>Lagerstroemia</i> spp.	เช่น ตะแบก อินทนิลน้ำ ยี่เข่ง เป็นต้น
35	<i>Lindera</i> spp.	เช่น แส้ลูบาะ เลือดควาย เป็นต้น
36	<i>Liquidamber</i> spp.	
37	<i>Litchi</i> spp.	เช่น ลิ้นจี่ เป็นต้น อย่างไรก็ตาม ลิ้นจี่เป็นพืชสงวนของไทย ห้ามส่งออก!!!
38	<i>Maackia</i> spp.	
39	<i>Mallotus</i> spp.	เช่น ทองเต่า ปอหุ้มก้านสั้น สอยดาว เป็นต้น
40	<i>Malus</i> spp.	เช่น แอปเปิ้ล เป็นต้น
41	<i>Melia</i> spp.	เช่น เลียน เกรียน เคียน เอียน เป็นต้น
42	<i>Morus</i> spp.	เช่น หม่อน เป็นต้น
43	<i>Olea</i> spp.	
44	<i>Parrotia</i> spp.	เช่น ironwood เป็นต้น
45	<i>Persea</i> spp.	เช่น อโวคาโด อินทวา ยางบง เป็นต้น
46	<i>Photinia</i> spp.	เช่น คริสติน่า เป็นต้น
47	<i>Pinus</i> spp.	เช่น สนสองใบ สนสามใบ เป็นต้น
48	<i>Platanus</i> spp.	
49	<i>Polygonum</i> spp.	เช่น แพรว เป็นต้น
50	<i>Populus</i> spp.	เช่น balsam populus, canadian aspen เป็นต้น
51	<i>Prunus</i> spp.	เช่น พรุณ พลัม บ๊วย ท้อ อบเชย นางพญาเสือโคร่ง เป็นต้น
52	<i>Psidium</i> spp.	เช่น ฝรั่ง เป็นต้น
53	<i>Pyracantha</i> spp.	เช่น firethorn เป็นต้น
54	<i>Pyrus</i> spp.	เช่น แอปเปิ้ล สาลี่ สาลี่เถื่อน เป็นต้น
55	<i>Quercus</i> spp.	เช่น ก่อ เป็นต้น
56	<i>Rhododendron</i> spp.	เช่น กุหลาบพันปี เป็นต้น
57	<i>Rhus</i> spp.	เช่น ไร่จันทน์ ส้มผดขน เป็นต้น
58	<i>Robinia</i> spp.	
59	<i>Rosa</i> spp.	เช่น กุหลาบ เป็นต้น
60	<i>Rubus</i> spp.	เช่น ลาสเบอรี่ เป็นต้น

No.	Scientific Name	Thai Name
61	<i>Sageretia</i> spp.	
62	<i>Salix</i> spp.	เช่น หลิว พุซซิวไล้ เป็นต้น
63	<i>Sapium</i> spp.	เช่น ตาตุ่มบก ตาตุ่มน้ำ ตีนเป็ด เป็นต้น
64	<i>Sophora</i> spp.	เช่น ถั่วดินโคก นมราชสีห์ สารพัดพิษ เป็นต้น
65	<i>Sorbus</i> spp.	เช่น หมักจุดเกลี้ยง เป็นต้น
66	<i>Styrax</i> spp.	เช่น ก้ายาน เอนอ้าขาว ชี้อ้น เป็นต้น
67	<i>Toona</i> spp.	เช่น ยมหอม สุเหริยน เป็นต้น
68	<i>Ulmus</i> spp.	เช่น ลูบลิบ คู่ข้างน้อย เป็นต้น
69	<i>Vernicia</i> spp.	เช่น มะเยา มะเยาหิน มะเยาเหลียม เป็นต้น
70	<i>Viburnum</i> spp.	เช่น ฮ่อมข้าง เป็นต้น
71	<i>Ziziphus</i> spp.	เช่น พุทรา เป็นต้น

หมายเหตุ อเมริกายังคงถือว่าด้วงหนวดยาวทั้งสองชนิดไม่มีในประเทศไทย